



Wireless Camera Solution

Exceptional vision and safety for truck and Off Highway

Wireless cameras and monitors feature a code-pairing technology that allows for simple installation and setup of the system. The code-pairing also helps to reduce interference. It maintains a stable video connection with a barrier-free transmission distance of up to 130 yards.

Continental's wireless cameras offer a range of applications in small and medium trucks, agricultural and construction equipment, and material handling applications. The line also incorporates a camera designed specifically for forklift applications.

Features & Benefits

- › Off the Shelf products
- › Easy Installation and Instant pairing
- › Strong anti-interference and stable connection
- › Night Vision
- › Water and dust proof products
- › Dual Voltage 12V and 24V

Application



Wireless Cameras

120° IP 69K for Quad monitor



Model No. 2910000242600

- › Wireless & waterproof cameras :IP 69K
- › Ideal for articulated equipment or vehicles where long cable lengths are not desired
- › PAL / NTSC Compatible

Technical Specifications

- › Digital Wireless transmission: max. 120mt
- › Wide view angle 120°.
- › Resolution: 756 X 504 Pixels
- › 4 LEDs IR for night vision (max. 10mt).
- › Sensibility <0,1 Lux / 0 Lux with IR LEDs
- › Integrated Microphone
- › Optional Mirror Function
- › Vibration 10g
- › Shock resistance 100g
- › DC 10-32V power supply.
- › Max. consumption: 300 mA.
- › Operating Temperature range : -20° to 70°

120° IP 69K Single




Model No. 2910000119500

- › Wireless & waterproof cameras :IP 69K
- › Ideal for articulated equipment or vehicles where long cable lengths are not desired
- › PAL / NTSC Compatible

Technical Specifications

- › Digital Wireless transmission: max. 120mt
- › Wide view angle 120°.
- › Resolution: 728 X 488 Pixels
- › 4 LEDs IR for night vision (max. 10mt).
- › Sensibility <0,1 Lux / 0 Lux with IR LEDs
- › Integrated Microphone
- › Optional Mirror Function
- › Vibration 10g
- › Shock resistance 100g
- › DC 10-32V power supply.
- › Max. consumption: 300 mA.
- › Operating Temperature range : -20° to 70°

Forklift Wireless camera for Quad



Model No. 2910000814500

- › Wireless & waterproof cameras :IP 69K
- › Ideal for Forklifts and Material handling vehicles

Technical Specifications

- › Digital Wireless transmission: max. 120mt
- › Wide view angle 45°.
- › Resolution: 756 X 504 Pixels
- › 3 LEDs IR for night vision (max. 10mt).
- › Sensibility <0,1 Lux / 0 Lux with IR LEDs
- › Vibration 6g
- › Shock resistance 80g
- › DC 10-32V power supply.
- › Max. consumption: 300 mA at 12Vx
- › Operating Temperature range : -20° to 70°

Wireless Monitors

Quad 7"



Model No. 2910000244300

Technical Specifications

- › Screen size LCD Color 7"
- › With built-in quad split screen function
- › Supports four camera inputs
- › Resolution: 800 X 480 Pixels
- › Luminosity (cd/m2): 400
- › With remote controller
- › Single View/Split view/Quad view selectable
- › Automatically turns on once vehicle is placed in reverse
- › Loudspeaker
- › Parking Aid

- › Ideal for Forklifts and Material handling vehicles
- › Dual Voltage 12V and 24V
- › PAL / NTSC Compatible

7"



Model No. 2910000118600

Technical Specifications

- › Screen size LCD Color 7"
- › Distance up to 120m (barrier free)
- › Resolution: 800 X 480 Pixels
- › Luminosity (cd/m2): 400
- › With remote controller
- › Automatically turns on once vehicle is placed in reverse (Switched to +12V or 24V)
- › Loudspeaker
- › Parking Aid

- › Ideal for Forklifts and Material handling vehicles
- › Dual Voltage 12V and 24V
- › PAL / NTSC Compatible